

# We test, You produce

## F620LV

### LEAK TESTER FOR LARGE VOLUMES

F620LV is a breakthrough instrument able to leak test very large volumes using a new patented technology (Based on Pressure Decay) thanks to the high sensitivity of our latest pressure transducer.

#### Highlights

- FAST AND FLEXIBLE DATA HANDLING
- EASY AND QUICK INTEGRATION
- EASY NETWORKING DEVICES



#### Applications

Parts with very large volumes such as tanks, electrical car batteries...



# F620LV

## LEAK TESTER

### FOR LARGE VOLUMES

#### Measurement characteristics

EASY CALIBRATION AND CHECKING		
Range	Accuracy (Lab conditions) <sup>(1)</sup>	Max. resolution
0 - 20 Pa	< 2 Pa: 0.04 Pa > 2 Pa: 2% Rdg	0.001 Pa

<sup>(1)</sup>Accuracy: linearity + repeatability + hysteresis

#### Options

- 9 inputs / 5 outputs
- Optional Fieldbus: PROFIBUS, DeviceNet, PROFINET, EtherNet/IP, EtherCAT network, Modbus RTU
- 2 pneumatic outputs for automation

#### Accessories

- ATEQ software Winatseq 300
- Filtration kit
- Printer
- Leak Flow Calibrator
- Leak jet
- Connectors

Consult our accessories brochures



#### Main Features

- 32 programs
- Large Flow Valves for fast management of the parts
- Fully integrated electronics and pneumatics
- Flexible communication format: RS232, USB


#### Environnement

- ROHS standard

#### Technical Specifications

Presentation	Weight: around 35 Kg
Physical	Dimensions (in mm) H550*W500*D260
Electrical external supply	Voltage: 24 V DC / 1.6 A
Air supply	Clean and dry air required Air quality standard to be applied (ISO 8573-1) Test pressure input, need an external regulator
Temperature	Operating: +5°C to +45°C Storage: 0°C to +60°C

#### F620LV Control interface



Master Leak



Master Leak Plastic Box



Specifications subject to change without notice, non contractual photos, September 2023.



**ATEQ USA HQ**  
35980 Industrial Rd. Livonia, MI 48150 USA HQ - T.: +1 (734) 838-3100  
F.: +1 (734) 838-0644 - leaktestsales@atequsa.com - atequsa.com